


Height to go with the breadth

Monaxis Ultra-Low-Front
Refrigerated Multidecks



The outlook is fine for scoring big this season. With their extremely low front and an extra display shelf, Monaxis 72/82 Refrigerated Multidecks have lots more space to present a wide-ranging assortment of merchandise.

All framed in a handsome styling idiom that lends new status to space productivity. The new Monaxis 72/82 Series puts product displays right up front where the action is and chances for making points are the best.

Linde

Tall and slim – the distinguishing marks of the Monaxis Series go well with all its other talents.

Ultra-low front for maximum product visibility

With a front only 180 mm high, Monaxis 72/82 cannot fail to stand out. The variety of merchandise that can be placed on seven decks in all beats anything seen yet. Two heights and two depths of case are available. Crown ends are not offered with this kind of stocking capacity.

Sturdy bumper base

The low base contains a robust shopping cart collision bumper and recessed air flow grilles that can be removed one at a time. As you would expect from Linde, it can be finished in custom colors and has ample space for pricing.



Quick, convenient access

Due to the enlarged product facing area, the merchandise on display is tangibly closer to customers, reaching out stronger and within easier picking distance. Convenience of stocking with no risk of bumping heads is another ergonomic advantage provided by Linde to keep sales moving.

Benefits of Monaxis ultra-low front

- Large stocking volume
- Highly visible merchandising
- Forceful appeal of displays




Finish, form and function in complete harmony

Colored interior finishes, engaging color contrasts, vertical lighting and glazed end walls create a setting that is just right to showcase the merchandise. Alternative fully glazed panorama-view, semi-glazed or internally mirrored end walls have one thing in common: they focus the merchandise where you want it – in the customer's eye.

Economical and reliable Linde refrigeration

Application-matched Linde air curtain and refrigeration technology ensures economical use of energy and consistent cooling temperatures. Energy costs can be lowered significantly with the unique Linde single-coil system.

Night blind with special coating keeps cold air inside and warm air out. Its material reflects cold back into the case while absorbing outside heat to prevent it passing through and its bottom ledge locks in a recess when lowered to maintain tight closure.



Curved canopy trim panel blends top of case into surroundings.



New night blind prevents escape of cold air.




Elegant combination of lighting switch and temperature readout.




Recessed air flow grille removable for cleaning.


Measurements:




Monaxis 72.B4 DE



Monaxis 82.B4 DE



Monaxis 72.B4 DEL



Monaxis 82.B4 DEL

Technical data:

		250		375	
Length over end walls (40 mm each)	[mm]		2580		3830
Temperature range	[°C]	0 to 2, 2 to 4, 4 to 6			
Total display area	[m ²]	Monaxis 72.B4 DE	7.90		11.85
		Monaxis 72.B4 DEL	9.15		13.75
		Monaxis 82.B4 DE	9.40		14.10
		Monaxis 82.B4 DEL	10.90		16.35
Power supply	[V]/[Hz]	230/50			

Linde Kältetechnik GmbH & Co. KG
 Sürther Hauptstrasse 173
 50999 Cologne
 Germany
 Phone +49-22 36-6 01-01
 Telefax +49-22 36-6 01-1 54
 www.linde-refrigeration.com
 info@linde-kt.de

